

## CRANE KIT TAKES OFF!

## A working model from an Engineering Drawing by W.R.Hinson

"If you cannot photograph it, make a good working drawings of it". This is the sound editorial advice which Mr. Hinson of the Stevenage Meccano Club took when he designed this excellent working model Meccano Helicopter which can be built from the contents of the Crane Set. As a retired engineering draughtsman, our contributor has provided us with a first-class working drawing which we are pleased to reproduce here as an example of how the real engineer has to work from scale drawings. Each of the drawings are related in what is known as "First Angle Projection" which means that each view is 'projected' from

an adjacent view. For instance, view A is known as a side elevation because, if a person was standing at the side of the model, looking at it square on, this is the view he would see.


To obtain view B, known as the 'plan' view, the dimensions of A are simply carried down the drawing paper and the object is rotated through  $90^{\circ}$  to obtain the 'plan' and we now see the top view sometimes known as a 'bird's eye view'.


If details of the object are not fully revealed at this stage, an underview or 'under plan' is required and this is shown in view C. The reader should notice that a view from the nose of the helicopter is not given (such a view would be called an 'end elevation'), but all of the required information can be deducted from the first three views. Even at this stage, internal detail may be hidden so the fourth view, known as a


'sectional' view, is provided, in the case of the Meccano Helicopter, to show the internal drive arrangements of the Crane Set Motor. As the set does not possess a long Axle Rod, a compound shaft for the motor blades is made by joining up the two 2½" Rods by a 'coupling' made from a Fishplate locking a Collar to the boss of a 19t Pinion, the lower half of the Pinion bore being used as a 'sleeve' for the upper end of the lower 2½" Axle Rod.


Printed below is the full list of parts for the Crane Set numbers and standard Meccano part numbers (thanks to Mr. Hinson), the latter provided so that readers who do not own a Crane Kit may complete the model using standard parts, assuming, of course, that they possess them! The whole thing makes a change from written building instructions; we hope you like the presentation.

No. OFF	SCHEDULE OF CRANE SET PART No.	PARTS STANDARD MECCANO PART No.
2 1 1 1 4 2 1 1 2 2 2 2 2 2 4 2 4 2 4 1 1 2 2 4 4 1 1 2 2 4 4 4 4	16a 21 226c 27d 59 355 126a 186a 1890 190a 193a 214 302 304 305 310 313 328 329 330 337 336 337 356 366 369 365 3169 365 3169 511053	16a 21 26c 27d 59 74 186a 1890 190a 193 214 2 5 48a 89a 89a 51 37a 38 12 111d 8a 53 19b 19b 235g 235s 10









## CRANE KIT TAKES OFF!

## A working model from an Engineering Drawing by W.R.Hinson

"If you cannot photograph it, make a good working drawings of it". This is the sound editorial advice which Mr. Hinson of the Stevenage Meccano Club took when he designed this excellent working model Meccano Helicopter which can be built from the contents of the Crane Set. As a retired engineering draughtsman, our contributor has provided us with a first-class working drawing which we are pleased to reproduce here as an example of how the real engineer has to work from scale drawings. Each of the drawings are related in what is known as "First Angle Projection" which means that each view is 'projected' from

an adjacent view. For instance, view A is known as a side elevation because, if a person was standing at the side of the model, looking at it square on, this is the view he would see.


To obtain view B, known as the 'plan' view, the dimensions of A are simply carried down the drawing paper and the object is rotated through  $90^{\circ}$  to obtain the 'plan' and we now see the top view sometimes known as a 'bird's eye view'.

If details of the object are not fully revealed at this stage, an underview or 'under plan' is required and this is shown in view C. The reader should notice that a view from the nose of the helicopter is not given (such a view would be called an 'end elevation'), but all of the required information can be deducted from the first three views. Even at this stage, internal detail may be hidden so the fourth view, known as a

'sectional' view, is provided, in the case of the Meccano Helicopter, to show the internal drive arrangements of the Crane Set Motor. As the set does not possess a long Axle Rod, a compound shaft for the motor blades is made by joining up the two 2½" Rods by a 'coupling' made from a Fishplate locking a Collar to the boss of a 19t Pinion, the lower half of the Pinion bore being used as a 'sleeve' for the upper end of the lower 2½" Axle Rod.

Printed below is the full list of parts for the Crane Set numbers and standard Meccano part numbers (thanks to Mr. Hinson), the latter provided so that readers who do not own a Crane Kit may complete the model using standard parts, assuming, of course, that they possess them! The whole thing makes a change from written building instructions; we hope you like the presentation.

No. OFF	SCHEDULE OF CRANE SET PART No.	PARTS STANDARD MECCANO PART No.
2 1 1 1 4 2 1 1 2 2 2 2 2 2 4 2 4 2 4 1 1 2 2 4 4 1 1 2 2 4 4 4 4	16a 21 226c 27d 59 355 126a 186a 1890 190a 193a 214 302 304 305 310 313 328 329 330 337 336 337 356 366 369 365 3169 365 3169 511053	16a 21 26c 27d 59 74 186a 1890 190a 193 214 2 5 48a 89a 89a 51 37a 38 12 111d 8a 53 19b 19b 235g 235s 10



Pictured far left is a general view of the completed Helicopter. Left top is a view of the cockpit showing the pilot's seat mounted on 2" Angle Girders, instrument panel and joystick. Lower left is a close-up showing double pulley guide for fantail drive. Two ½" Pulleys are mounted on a ¾" Bolt lock-nutted to one Angle Bracket and supported at the far side in a second Bracket. \* THESE HOLES ARE ELONGATED. 0 0 0/0 190a **@**) o 0 0 0 @ o\*\*o 0 0 0 000 o Ø 0 0 0 0 0 0 27d 3/3 o\* 0 0 190a 126a 0,00 193 (2) 0000@ 0 0 0 0 0 302 (4 off)